



6L50

T.	U _f	I _f	Cl.	U _d	U _{g2}	U _{g1}	I _d	I _{g2}	S	μ	R _i	R _k	R _b	P _o	U _{g1}	h	I _k	P _{g1}	P _d					
	V	A		V	V	V	mA	mA	mA/V	V/V	kΩ	Ω	kΩ	W	V	%	mA	W	W					
6L50	Tos	6.3	I	400	250	-25	30	2	3.5	75	180	2.5	6.5	14	10									
				250	250	-14	72±7.9	5±7.3	6	21.5	6	21.5	180	2.5	6.5	14	10							
				300	200	-12.5	48±5.5	2.5±4.7	5.3	35	6.5	35	250	4.5	6.5	12.5	11							
				325	250	-14	80±8.8	5±7.5	5.5	25	5.5	25	250	4.5	6.5	12.5	11							
				350	250	-18	54±6.6	2.5±7	5.2	33	5.2	33	33	3.8	18	22.5	2							
				360	270	-22.5	88±14.0	5±11	11	18	18	18	3.8	6.6	26.5	22.5	2							
				360	270	-22.5	88±13.2	5±15	15	18	18	18	6	31	47	36	2							
				360	225	-18	78±14.2	3.5±11	11	18	18	18	3.8	5	1.4	2.2	5							
				360	270	-22.5	88±20.5	5±16	16	18	18	18	2	550	5	2.4	2.8	5.6						
				250	—	-22	40±4.5	Fig. 1	4.7	9.4	4.7	9.4	2	680	5	2.4	2.8	5.6						
300	400	-28	41±4.8	Fig. 1	4.7	9.4	4.7	9.4	2	680	5	2.4	2.8	5.6										

C _{g1}	C _a	C _{g1/a}
pF	pF	pF
9.7	7.3	0.3

Fig. 1

